AG	A – Principles	solvedpapers.co.uk of Organisation – GCSE Combine Science Biology			
1.					
	0 6	Starch is digested to form sugar molecules in the digestive system.			
	06.1	What is the name of the enzyme that digests starch?	[1 mar	k]	
				_	

# 0 6. 2 Where are most food molecules absorbed?

[1 mark]

Tick  $(\checkmark)$  one box.

Large intestine	
Liver	
Small intestine	
Stomach	

Figure 6 shows two villi.

6

light microscope.

0

Figure 6 also shows one cell on the surface of a villus as seen using an electron microscope.




Figure 6


[1 mark]


06.4	What type of blood vessel is labelled <b>X</b> ? Tick (✓) <b>one</b> box.	[1 mark]
	Artery	
	Capillary	
	Vein	
	The week low with a firm a without is 0.0 means	
0 6 . 5	The real length of one villus is 0.8 mm	
	Calculate the image length if the villus is viewed at a magnification of $\times 20$	
	Use the equation:	
	magnification = size of image size of real object	
		[3 marks]
	Use the equation:	[3 mar


Image length = \_\_\_\_\_ mm

Figure 7 shows two cells from the surface of a villus.

There are sugar molecules inside and next to each cell.







Explain how villi are adapted for efficient absorption of sugar molecules.

[4 marks]





Figure 2 shows two villi.

Figure 2 also shows one cell on the surface of a villus as seen using an electron microscope.







Give **one** advantage of using an electron microscope compared with using a light microscope.


[1 mark]


	solvedpapers.co.uk	
02.4	What type of blood vessel is labelled <b>X</b> ?	[1 mark]
	Tick (✓) <b>one</b> box.	ניוומואן
	Artery	
	Capillary	
	Vein	
02.5	The real length of one villus is 0.8 mm	
	Calculate the image length if the villus is viewed at a magnification of ×20	
	Use the equation:	
	magnification = size of image size of real object	[3 marks]
	Image length =	mm

8

Figure 3 shows two cells from the surface of a villus.

There are sugar molecules inside and next to each cell.






[4 marks]

			solvedpapers.co.uk	
3.	May/June/201	9/Paper_1F/No.2		
	0 2	A single-celled organi	sm has a large surface area to volume ratio.	
	02.1	How does oxygen ent Tick (✓) <b>one</b> box.	er a single-celled organism?	[1 mark]
		Active transport		
		Diffusion		
		Osmosis		

Figure 3 shows two cubes.


The surface area to volume ratio for cube A is 6:1

Figure 3



Multicellular organisms have exchange surfaces to absorb substances.

Figure 4 shows part of the exchange surface in the lungs.




**0 2**. **5** Alveoli provide a large surface area for gas exchange.

Give two other ways the lungs are adapted for efficient gas exchange.

[2 marks]

		L= -	
1			
·			
2			



#### solvedpapers.co.uk

Figure 5 shows part of a root viewed using a microscope.

### Figure 5


This image cannot be reproduced here due to third-party copyright restrictions



Explain how a root hair cell is specialised for its function.

[2 marks]

Figure 6 shows a microscope.





It is easier to view the cells using the low power objective lens first.

Give one reason why.


[1 mark]

03.6

To focus the image the objective lens should be moved away from the stage.

Give one reason why the objective lens should not be moved towards the stage. [1 mark]

	solvedpapers.co.uk	
03.7	The image of the prepared slide in <b>Figure 6</b> is viewed with the ×10 objective	lens.
	The total magnification is ×50	
	What was the power of the eyepiece lens used?	[1 mark]
	Power of eyepiece lens = ×	
03.8	Root hair cells do <b>not</b> contain chloroplasts.	
	Suggest <b>one</b> reason why.	[1 mark]



Some people may be treated with a drug to slow their heart rate.



Digitalis is a drug that slows the heart rate.

Where does the drug digitalis originate from?

[1 mark]

Tick  $(\checkmark)$  one box.

Bacteria	
Foxgloves	
Mould	
	·
Willow	

Beta blockers are another type of drug that slows the heart rate.

 Table 2 shows information for people who do not take beta blockers and for people who do take beta blockers.

- Stroke volume is the volume of blood pumped out of the heart each time it beats.
- Cardiac output is the total volume of blood pumped out of the heart each minute.

Т	ab	le	2

	No beta blockers taken		Taking bet	a blockers
	At rest	During exercise	At rest	During exercise
Heart rate in beats per minute	68	150	52	88
Stroke volume in cm <sup>3</sup>	80	120	x	98
Cardiac output in cm <sup>3</sup> per minute	5440	18 000	2800	8624



Calculate stroke volume X in Table 2.

Use the equation:

cardiac output = stroke volume × heart rate

Give your answer to 2 significant figures.

[3 marks]

Stroke volume X =


	solvedpapers.co.uk	
06.5	Some people who take beta blockers get out of breath when they exercise.	
	Explain why beta blockers can have this effect during exercise.	
	You should refer to information given in <b>Table 2</b> .	[6 marks]

## 6. May/June/2019/Paper\_1F/No.5

0 5

Malaria is a disease transmitted by mosquitos.

Figure 9 shows information about the number of deaths from malaria.











Calculate the decrease in the number of deaths between 2000 and 2015.


[2 marks]












A student measured the mass of water lost from some similar plants. The plants were at different temperatures.

Figure 8 shows the apparatus used.





This is the method used.

- 1. Seal a plastic bag around the pot of a potted plant.
- 2. Place the potted plant with the bag on a balance in a room at 20 °C
- 3. Record the mass.
- 4. After 3 hours record the mass again.
- 5. Calculate the mass of water lost from the plant.
- Repeat steps 1–5 at 25 °C and at 30 °C with other similar plants.

**0 4 . 4** What was the independent variable in this investigation?

Tick  $(\checkmark)$  one box.


Initial mass of the plant

Length of time the plant was left

Mass of water lost

Temperature of the room

[1 mark]






. 5 Suggest why the student sealed a plastic bag around the pot.

[1 mark]


Table 1 shows the student's results.

	Temperature in °C	Mass at the start in g	Mass after 3 hours in g	Mass of water lost in 3 hours in g
	20	510.7	508.6	2.1
	25	510.4	507.1	3.3
	30	X	506.3	4.9
	Vhat is the resolut ick <b>one</b> box. 0.1 g	ion of the balance us	ed in this investigation	? [1 mar
04.7	calculate value <b>X</b> i	n Table 1.		[1 mar
_			X =	
04.8	Give <b>one</b> conclusio	on that can be made f	rom the results in <b>Tab</b>	le 1. [1 mari
		nat might affect the ra	te of water loss from th wer.	ne leaves. [2 marks

<b>T</b> -			-
18	n	ρ	1



Some people may be treated with a drug to slow their heart rate.



Where does the drug digitalis originate from?

[1 mark]

Tick (✓) one box.

0

Bacteria	
Foxgloves	
Mould	
Willow	

Beta blockers are another type of drug that slows the heart rate.

 Table 1 shows information for people who do not take beta blockers and for people who do take beta blockers.

- Stroke volume is the volume of blood pumped out of the heart each time it beats.
- Cardiac output is the total volume of blood pumped out of the heart each minute.

Table	1
-------	---

	No beta blockers taken		Taking beta blockers	
	At rest	During exercise	At rest	During exercise
Heart rate in beats per minute	68	150	52	88
Stroke volume in cm <sup>3</sup>	80	120	x	98
Cardiac output in cm <sup>3</sup> per minute	5440	18 000	2800	8624



Calculate stroke volume X in Table 1.

Use the equation:

cardiac output = stroke volume × heart rate

Give your answer to 2 significant figures.

[3 marks]

Stroke volume X = \_\_\_\_\_ cm<sup>3</sup>

0 1. 5 Some people who take beta blockers get out of breath when they exercise.	
Explain why beta blockers can have this effect during exercise.	
You should refer to information given in <b>Table 1</b> . [6 m	arks]





Figure 2 shows the student's model.

Figure 2



This is the method used.

- 1. Fill a test tube with water at 37 °C
- 2. Test the water for starch and for sugar.
- Mix together starch and enzyme solution and immediately test it for starch and for sugar.
- 4. Fill some partially permeable tubing with the starch and enzyme mixture.
- 5. Seal the tubing and place it in the test tube of water.
- 6. Place the test tube in a water bath at 37  $^\circ\text{C}$
- After 30 minutes, test the mixture inside the partially permeable tubing and test the water in the test tube for starch and for sugar.

<u> </u>	•			
0	2	•	2	

Suggest which parts of the body the partially permeable tubing and the water in the test tube represent.

[2 marks]

Partially permeable tubing

Water in the test tube

#### Table 2 shows the results.

### Table 2

Test	Description of liquid	Result of starch test	Result of sugar test
1	Mixture inside tubing at start	✓	×
2	Water in the test tube at start	×	×
3	Mixture inside tubing after 30 minutes	✓	✓
4	Water in the test tube after 30 minutes	×	✓

### Key

✓ = Present

🗴 = Not present

02.3	Name the reagents used to test for starch and for sugar.	[2 marks]
	Starch	
	Sugar	
02.4	Why was there no sugar present in test <b>1</b> ?	[1 mark]

Explain the results for test 3.

[2 marks]



[2 marks]

6 Explain the results for test 4.