## AQA - Quantitative Chemistry - GCSE Chemistry Paper\_1


1. June/2021/Paper\_1H/No.6

0 6 Metal oxides are produced when metals are heated in air.

A student investigated the change in mass when 0.12 g of magnesium was heated in air.

Figure 5 shows the apparatus.

Figure 5



The student measured the mass of magnesium oxide produced.

0 6 . 1 0.12 g of magnesium reacted to produce 0.20 g of magnesium oxide.

Calculate the number of moles of oxygen gas (O2) that reacted.

Relative atomic mass  $(A_r)$ : O = 16

[3 marks]

Moles of oxygen gas =

solvedpapers.co.uk

The student repeated the experiment <b>without</b> a lid on the crucible.	
Suggest why the mass of magnesium oxide produced would be different on the crucible.	without a lid
	[2 marks]
Copper reacts with oxygen to produce copper oxide.	
63.5 g of copper produces 79.5 g of copper oxide.	
Calculate the mass of copper oxide produced when 0.50 g of copper reacts with oxygen.	
Give your answer to 3 significant figures.	[3 marks]
Mass (3 significant figures) =	g
	Suggest why the mass of magnesium oxide produced would be different on the crucible.  Copper reacts with oxygen to produce copper oxide.  63.5 g of copper produces 79.5 g of copper oxide.  Calculate the mass of copper oxide produced when 0.50 g of copper reacts with oxygen.

solvedpapers.co.uk

0 6 . 4	Iron reacts with oxygen to produce an oxide of iron.	
	0.015 moles of iron reacts with 0.010 moles of oxygen gas $(O_2)$ .	
	Determine:	
	the formula of the iron oxide produced	
	<ul> <li>the balanced symbol equation for the reaction.</li> </ul>	
		[4 marks]
	Formula of iron oxide =	
	Balanced symbol equation	