## Kinetics - AS 2022 Chemistry P2

## 1. June/2022/Paper\_7404/2/No.1

0 1 This

This question is about rates of reaction.

Potassium manganate(VII), KMnO<sub>4</sub>, reacts with sodium ethanedioate, Na<sub>2</sub>C<sub>2</sub>O<sub>4</sub>, in the presence of dilute sulfuric acid.

$$2 \text{ MnO}_4^-(aq) + 16 \text{ H}^+(aq) + 5 \text{ C}_2\text{O}_4^{2-}(aq) \rightarrow 2 \text{ Mn}^{2+}(aq) + 8 \text{ H}_2\text{O}(I) + 10 \text{ CO}_2(g)$$

The reaction mixture is purple at the start and goes colourless when all the  $MnO_4^-(aq)$  ions have reacted.

The rate of reaction can be measured as  $\frac{1000}{t}$  where t = the time taken for the mixture to go colourless.

A student investigated how long it takes for this reaction mixture to go colourless at different temperatures. The same concentrations and volumes of each reagent were used in an experiment at each temperature. **Table 1** shows the results.

Table 1

Temperature / °C	32	38	44	54	67
Time t/s	155	85	50	22	9
1000 t	6.45	11.8	20.0	45.5	

0 1 . 1 Complete Table 1.

[1 mark]

0 1 . 2 State the independent variable in this investigation.

[1 mark]


0 1. 3 The student noticed that the temperature of each reaction mixture decreased during each experiment.

Suggest how the student calculated the temperature values in Table 1.

[1 mark]

 $\boxed{\mathbf{0} \ \mathbf{1}}$ . Use the data in **Table 1** to plot a graph of  $\frac{1000}{t}$  against temperature.

[3 marks]



Use your graph in Question **01.4** to find the time taken for the mixture to go colourless at 60 °C Show your working.

[1 mark]

Time t s

	aqasolvedexampapers.co.uk					
0 1.6	The investigation shows that increasing the temperature causes the rate of reaction increase.					
	Explain why a small increase in temperature causes a large increase in the reaction.	rate of				
	roudion.	[2 marks]				
	per_7404/2/No.14 atement about molecules in a gas is correct?	[1 mark]				
<b>A</b> At a fix	ed temperature they all move at the same speed.					

2.

probable energy.

mean energy.

**B** At a fixed temperature their average kinetic energy is constant.

D As temperature decreases, there are fewer molecules with the

As temperature increases, there are more molecules with the most