

Atomic structure – GCSE Physics Paper 1

1. No.2

0	2
---	---

Scientists developed different models of the atom as new discoveries were made.

0	2
---	---

.	1
---	---

Which particle in the atom was discovered first?

[1 mark]Tick (✓) **one** box.

Electron

☐

Neutron

☐


Proton

☐

In an experiment that led to the nuclear model of the atom, alpha particles were directed at a sheet of gold foil.

Figure 3 shows the path of three alpha particles passing close to a gold nucleus.

Figure 3



0 2 . 2

An alpha particle has a radius of 1.7 femtometres.

The radius of a gold nucleus is 4.2 times larger than the radius of an alpha particle.

Calculate the radius of a gold nucleus in femtometres.

[2 marks]

Radius of a gold nucleus = _____ femtometres

0 2 . 3 Alpha particles are deflected by the gold nucleus.

What are the charges on an alpha particle and a gold nucleus?

[1 mark]

Tick (✓) **one** box.

An alpha particle and a gold nucleus are both neutral.

☐

An alpha particle and a gold nucleus are both positively charged.

☐

An alpha particle is positively charged and a gold nucleus is neutral.

☐

0 2 . 4 Which statement describes the force between the alpha particle and the gold nucleus?

[1 mark]

Tick (✓) **one** box.

A contact force

☐

A force of attraction

☐

A force of repulsion

☐

There is no force

☐

0 2 . 5 Which alpha particle in **Figure 3** experiences the largest force from the gold nucleus?

[1 mark]

Tick (✓) **one** box.

A

☐

B

☐

C

☐

Table 1 lists different models of the atom in alphabetical order.

Table 1

Model
Bohr
Nuclear
Plum pudding
Tiny spheres that cannot be divided

0 2 . 6 Which model in **Table 1** was developed first?

[1 mark]

0 2 . 7 Which model in **Table 1** was developed last?

[1 mark]

2. No.3

0 3

Some isotopes emit nuclear radiation.

0 3 . 1

Carbon-12 and carbon-14 are both isotopes of carbon.

Complete the sentences.

Choose answers from the box.

[2 marks]

alpha particles

electrons

neutrons

protons

The nucleus of a carbon-12 atom and the nucleus of a carbon-14 atom have the same number of _____.

The nucleus of a carbon-12 atom and the nucleus of a carbon-14 atom have a different number of _____.

0 3 . 2

Different radioactive isotopes have different half-lives.

What does 'half-life' mean?

[1 mark]

Tick (✓) **one** box.

Half the time taken for all of the nuclei in a sample to decay.

☐

The time taken for half the nuclei in a sample to decay.

☐

The time taken for one nucleus to split in half.

☐

0 3 . 3

Table 2 shows the half-life of some different isotopes of carbon.**Table 2**

Isotope	Half-life in seconds
Carbon-15	2.45
Carbon-16	0.75
Carbon-17	0.19
Carbon-18	0.09

Which isotope is the least stable?

[1 mark]Tick (✓) **one** box.

Carbon-15

☐

Carbon-16

☐

Carbon-17

☐

Carbon-18

☐

03.4

Workers in nuclear power stations must be aware of nuclear irradiation and radioactive contamination.

Draw **one** line from each term to an example of the term.

[2 marks]

Term

Example

Radioactive contamination

Exposure to a beam of
gamma rays

Exposure to ultraviolet radiation
from the Sun

Nuclear irradiation

Accidental transfer of plutonium
onto a human body

Using a mobile phone

0 3 . 5

Why are workers required to walk across a sticky floor before leaving the nuclear power station?

[1 mark]

Tick (✓) **one** box.

To remove alpha particles from their shoes.

☐

To remove gamma radiation from their shoes.

☐

To remove radioactive dust from their shoes.

☐

0 3 . 6

The places where people work and live contribute to the nuclear radiation they are exposed to.

Table 3 shows the mean daily dose of radiation caused by two different jobs.

Table 3

Job	Mean daily dose in mSv
Aeroplane pilot	0.072
Nuclear power station worker	0.00050

Calculate the number of days a nuclear power station worker must work before receiving the same dose that an aeroplane pilot receives in one day.

[2 marks]

Number of days = _____

03.7

The process of nuclear fission takes place in nuclear power stations.

The process of nuclear fusion takes place in the Sun.

Draw **one** line from each process to its fuel.

[2 marks]

Process

Fuel

Hydrogen

Nuclear fission

Iron

Nuclear fusion

Lead

Uranium

3. No.5

0 5

Some isotopes emit nuclear radiation.

0 5 . 1

Carbon-14 and carbon-12 are isotopes of carbon.

Compare the structure of an atom of carbon-14 with the structure of an atom of carbon-12.

[3 marks]

0 5 . 2

Carbon-14 is a radioactive isotope.

Carbon-14 has a half-life of 5700 years.

What does 'a half-life of 5700 years' mean?

[1 mark]

Table 1 gives the half-life of some other radioactive isotopes.

Table 1

Isotope	Half-life in seconds
Nitrogen-18	0.62
Nitrogen-17	4.17
Fluorine-17	64.37
Fluorine-18	6584.34

0 5 . 3 A sample of fluorine-17 has an activity that is one quarter of its original activity.

Calculate the age of the sample of fluorine-17.

[2 marks]

Age = _____ s

0 5 . 4 All of the isotopes in **Table 1** emit beta radiation.

Explain which isotope would cause the biggest risk to a person's health based only on the half-life of each isotope.

[3 marks]

0 5 . 5

People who work in the nuclear power industry need to be aware of irradiation and contamination.

Describe the difference between irradiation and contamination.

[2 marks]

0 5 . 6

Give **one** health risk to a person working close to a source of nuclear radiation.

[1 mark]

0 5 . 7

Workers in nuclear power stations are monitored to check the radiation they emit.

A worker stands 1 cm away from a radiation detector.

The amount of radiation the worker emits is recorded.

Explain why the worker needs to stand close to the radiation detector.

[2 marks]

0	5	.	8
---	---	---	---

Workers in the nuclear power industry are exposed to nuclear radiation.

Pilots on aircraft are exposed to cosmic radiation from space.

daily dose caused by working in a nuclear power station = 0.00050 mSv

hourly dose from cosmic rays to a pilot while flying = 0.0030 mSv

Calculate the number of days it takes for a nuclear power station worker to receive the same dose as a pilot flying for 24 hours.

[3 marks]

Number of days = _____

4. No.8

0 8

Scientists developed new models of the atom as new particles were discovered.

0 8 . 1

Draw one line from each particle to the year it was discovered.

[2 marks]


Particle	Year of discovery
Electron	1897
Neutron	1911
Nucleus	1920
Proton	1932

The nucleus was discovered using an alpha particle scattering experiment.

Alpha particles were directed at a sheet of gold foil.

Figure 8 shows the paths taken by seven alpha particles, **A**, **B**, **C**, **D**, **E**, **F** and **G**.

Figure 8



0 8 . 2

Explain why alpha particle **A** takes the path shown in Figure 8.

[2 marks]

0 8 . 3

Explain why the path of alpha particle **B** is more tightly curved than the path of alpha particle **C**.

[2 marks]

08.4

What can be deduced about the atom from the paths taken by alpha particles **D, E, F** and **G** in **Figure 8**?

[1 mark]

Tick (✓) **one** box.

The atom contains a nucleus.

☐

The atom contains protons, neutrons and electrons.

☐

The atom is mostly empty space.

☐

08.5

How is the Bohr model of the atom different from the nuclear model of the atom?

[1 mark]

08.6

Explain how an electron can move up and down between energy levels in an atom.

[2 marks]
